

CALCIUM CHLORIDE

Calcium Chloride, anhydrous

Product	Calcium Chloride, anhydrous
Manufacturer	Redox Ltd
Where 6D uses it	Dust suppression and concrete accelerator where specified.
Signal word	Warning
Classification	Serious eye damage or irritation Cat 2
Pictograms	GHS07
Dangerous goods	Not a dangerous good
Poisons schedule	Not scheduled
Manufacturer's sheet	30 December 2022, version 5. 10 pages.
Review due	30 December 2027

FIRST AID, FROM SECTION 4 OF THE MANUFACTURER'S SHEET

Inhalation: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Skin: IF ON SKIN: Wash with plenty of soap and water.

Eyes: IF IN EYES: Immediately flush eyes with running water for several minutes, holding eyelids open and occasionally lifting.

Swallowed: IF SWALLOWED: Rinse mouth with water.

Emergency 000. Poisons Information Centre 13 11 26.



Scan for the current sheet

6dcivil.com.au/sds/calcium-chloride

The website copy is the current one. A printed sheet is uncontrolled and may have been superseded since it was printed.

This cover is 6D Civil's summary of the manufacturer's safety data sheet, which follows this page and governs. Register 6DC-OHS-RG-0004 Rev A. Section 330(3) of the Work Health and Safety Regulation 2011 (Qld) requires the manufacturer or importer of a hazardous chemical to review its safety data sheet at least once every five years, and to amend it whenever necessary to keep it correct and current.



SAFETY DATA SHEET CALCIUM CHLORIDE REVISION 5, DATE 30 DEC 2022

1. IDENTIFICATION

Product Name	Calcium Chloride
Other Names	Calcium dichloride
Uses	Dust suppression; process aid during oil drilling; dehumidifying; road de-icing; food additive; cooling media.
Chemical Family	No Data Available
Chemical Formula	CaCl ₂
Chemical Name	Calcium chloride, anhydrous
Product Description	No Data Available

Contact Details of the Supplier of this Safety Data Sheet

Organisation	Location	Telephone
Redox Ltd	2 Swettenham Road Minto NSW 2566 Australia	+61-2-97333000
Redox Ltd	11 Mayo Road Wiri Auckland 2104 New Zealand	+64-9-2506222
Redox Inc.	3960 Paramount Boulevard Suite 107 Lakewood CA 90712 USA	+1-424-675-3200
Redox Chemicals Sdn Bhd	Suite 13A.03, Menara Summit Persiaran Kewajipan USJ1 47600 UEP Subang Jaya Selangor, Malaysia	+60-3-5614-2111

Emergency Contact Details

For emergencies only; DO NOT contact these companies for general product advice.

Organisation	Location	Telephone
Poisons Information Centre	Australia – Westmead NSW	1800-251525 131126
Chemcall	Australia	1800-127406 +64-4-9179888
Chemcall	Malaysia	+64-4-9179888
National Poison Centre	Malaysia	+60-4-6536-999
Chemcall	New Zealand	0800-243622 +64-4-9179888
National Poisons Centre	New Zealand	0800-764766
CHEMTREC	USA & Canada	1-800-424-9300 CN723420 +1-703-527-3887

2. HAZARD IDENTIFICATION

Poisons Schedule (Aust)

Not Scheduled



Globally Harmonised System

Hazard Classification	Hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS)		
Hazard Categories	Serious Eye Damage/Irritation - Category 2		
Pictograms			
Signal Word	Warning		
Hazard Statements	H319	Causes serious eye irritation.	
Precautionary Statements	Prevention	P280	Wear eye protection/face protection.
		P264	Wash hands thoroughly after handling.
	Response	P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
		P337 + P313	If eye irritation persists: Get medical advice.

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification	NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)
---------------------------------------	---

Safe Work Australia

National Guide for Classifying Hazardous Chemicals under the Model WHS Regulations

Hazard Classification	Hazardous according to the criteria of Safe Work Australia under Model WHS Regulations
------------------------------	--

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients

Chemical Entity	Formula	CAS Number	Proportion
Calcium chloride	CaCl ₂	10043-52-4	60 - 100 %

4. FIRST AID MEASURES

Description of necessary measures according to routes of exposure

Swallowed	IF SWALLOWED: Rinse mouth with water. Do NOT induce vomiting. Get medical advice/attention if you feel unwell. Never give anything by mouth to an unconscious person.
Eye	IF IN EYES: Immediately flush eyes with running water for several minutes, holding eyelids open and occasionally lifting the upper and lower lids. Remove contact lenses if present and easy to do. Continue rinsing for at least 15 minutes. If eye irritation persists, get medical advice/attention; consult a specialist.
Skin	IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation

	occurs, get medical advice/attention.
Inhaled	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If respiratory symptoms persist, get medical advice/attention.
Advice to Doctor	Treat symptomatically. *In all case of doubt, or when symptoms persist, seek medical attention.
Medical Conditions Aggravated by Exposure	No information available.

5. FIRE FIGHTING MEASURES

General Measures	If safe to do so, move undamaged containers from fire area. Cool containers with water spray until well after fire is out.
Flammability Conditions	Not combustible.
Extinguishing Media	If material is involved in a fire, use extinguishing media appropriate to local circumstances and the surrounding environment.
Fire and Explosion Hazard	No information available.
Hazardous Products of Combustion	Fire may produce irritating, corrosive and/or toxic gases.
Special Fire Fighting Instructions	Contain runoff from fire control water - Runoff may cause pollution.
Personal Protective Equipment	Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters' protective clothing will only provide limited protection.
Flash Point	No Data Available
Lower Explosion Limit	No Data Available
Upper Explosion Limit	No Data Available
Auto Ignition Temperature	No Data Available
Hazchem Code	No Data Available

6. ACCIDENTAL RELEASE MEASURES

General Response Procedure	Ensure adequate ventilation. Do not touch or walk through spilled material. Avoid generating dust. Avoid breathing dust and contact with eyes, skin and clothing.
Clean Up Procedures	Take up mechanically. Sweep up and shovel into suitable, closed containers for disposal (see SECTION 13).
Containment	Stop leak if you can do it without risk. Prevent dust cloud.
Decontamination	No information available.
Environmental Precautionary Measures	Prevent the material from entering drains or watercourses.
Evacuation Criteria	Spill or leak area should be isolated immediately. Keep unauthorised personnel away.
Personal Precautionary Measures	Use personal protective equipment as required (see SECTION 8). *Wear an appropriate/approved respirator if dust is generated.

7. HANDLING AND STORAGE

Handling	Safety showers and eyewash facilities should be provided within the immediate work area for emergency use. Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Avoid generating dust. Avoid breathing dust and contact with eyes, skin and clothing. Do not ingest. Use personal protective equipment as required (see SECTION 8). Avoid any source of ignition and/or static charge.
Storage	Store in a cool, dry and well-ventilated place, out of direct sunlight. Keep container tightly closed. Avoid exposure to

moisture. Keep away from incompatible materials (see SECTION 10).

Container

Keep in the original container. Keep in properly labelled containers.

*Unsuitable packaging material: Aluminium.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION**General**

No specific exposure standards are available for this product. For dusts from solid substances without specific occupational exposure standards:

- Safe Work Australia Exposure Standard (Nuisance dusts): 8 hr TWA = 10 mg/m³ (measured as inhalable dust).
- New Zealand WES (Particulates not otherwise classified): TWA = 10 mg/m³; TWA = 3 mg/m³ (respirable dust).
- OSHA PEL (Particulates not otherwise regulated): TWA = 15 mg/m³ (total dust); TWA = 5 mg/m³ (respirable dust).

Exposure Limits

No Data Available

Biological Limits

No information available.

Engineering Measures

A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area.

Personal Protection Equipment

- Respiratory protection: In case of inadequate ventilation, wear respiratory protection. Recommended: Dust mask/particulate (P2) respirator (refer to AS/NZS 1715 & 1716).
- Eye/face protection: Wear appropriate eye protection to avoid eye contact. Recommended: Safety glasses with side shields; Safety goggles.
- Hand protection: Handle with gloves. Recommended: PVC, Neoprene, Natural rubber.
- Skin/body protection: Wear appropriate personal protective clothing to avoid skin contact. Recommended: Impervious clothing. Apron/boots or PVC or neoprene, in case of dusts.

Special Hazards Precautions

No information available.

Work Hygienic Practices

Do not eat, drink or smoke when handling the product. Wash thoroughly after handling. Remove and wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES**Physical State**

Solid

Appearance

Pellet or powder

Odour

Odourless

Colour

White

pH

No Data Available

Vapour Pressure

No Data Available

Relative Vapour Density

No Data Available

Boiling Point

>1,600 - 1,935 °C

Melting Point

775 - 782 °C

Freezing Point

No Data Available

Solubility

Soluble in water

Specific Gravity

No Data Available

Flash Point

No Data Available

Auto Ignition Temp

No Data Available

Evaporation Rate

No Data Available

Bulk Density

No Data Available

Corrosion Rate

No Data Available

Decomposition Temperature

No Data Available

Density

2.15 g/cm³

Specific Heat	No Data Available
Molecular Weight	110.98 g/mol
Net Propellant Weight	No Data Available
Octanol Water Coefficient	No Data Available
Particle Size	No Data Available
Partition Coefficient	No Data Available
Saturated Vapour Concentration	No Data Available
Vapour Temperature	No Data Available
Viscosity	No Data Available
Volatile Percent	No Data Available
VOC Volume	No Data Available
Additional Characteristics	No information available.
Potential for Dust Explosion	No information available.
Fast or Intensely Burning Characteristics	No information available.
Flame Propagation or Burning Rate of Solid Materials	No information available.
Non-Flammables That Could Contribute Unusual Hazards to a Fire	Reacts violently with water.
Properties That May Initiate or Contribute to Fire Intensity	Not combustible.
Reactions That Release Gases or Vapours	Fire/decomposition may produce irritating, corrosive and/or toxic gases.
Release of Invisible Flammable Vapours and Gases	No information available.

10. STABILITY AND REACTIVITY

General Information	May be corrosive to metals (aqueous solution).
Chemical Stability	Stable under normal temperature conditions and recommended use.
Conditions to Avoid	Avoid generating dust. Avoid exposure to moisture.
Materials to Avoid	Incompatible/reactive with oxidising substances, reducing agents. *Reacts violently with water.
Hazardous Decomposition Products	Fire/decomposition may produce irritating, corrosive and/or toxic gases.
Hazardous Polymerisation	Will not occur.

11. TOXICOLOGICAL INFORMATION

General Information	- Acute toxicity: May be harmful if swallowed. - Skin corrosion/irritation: Not classified. - Eye damage/irritation: Causes serious eye irritation. - Respiratory/skin sensitisation: Not classified. - Germ cell mutagenicity: Not classified. - Carcinogenicity: Not classified. - Reproductive toxicity: Not classified. - STOT (single exposure): Not classified. Observations in humans suggest that Calcium chloride may be a slight respiratory irritant [NICNAS].
----------------------------	--

- STOT (repeated exposure): Not classified.
- Aspiration toxicity: Not classified.
- *The substance is not classified as having endocrine disrupting properties.

Acute

Ingestion	Acute toxicity (Oral): - LD50, Rat (male/female): 2,301 mg/kg bw. [Supplier's SDS].
Other	Acute toxicity (Dermal): - LD50, Rabbit: >5,000 mg/kg bw. [Supplier's SDS].
Carcinogen Category	None

12. ECOLOGICAL INFORMATION

Ecotoxicity	Aquatic toxicity: - LC50, Fish (freshwater): >4,630 mg/L (96 h) [Supplier's SDS]. - EC50, Invertebrates (freshwater): 2,400 mg/L (48 h) [Supplier's SDS]. - NOEC, Invertebrates (freshwater): 320 mg/L (21 d) [Supplier's SDS]. - EC50, Algae (freshwater): 2,900 mg/L (72 h) [Supplier's SDS].
Persistence/Degradability	No information available.
Mobility	No information available.
Environmental Fate	Prevent the material from entering drains or watercourses.
Bioaccumulation Potential	No information available.
Environmental Impact	No Data Available

13. DISPOSAL CONSIDERATIONS

General Information	Dispose of contents/container in accordance with local/regional/national regulations. Recover/recycle, where feasible, otherwise incineration is the recommended method of disposal.
Special Precautions for Land Fill	Empty containers may contain hazardous residues. Do not cut, puncture or weld on or near to the container. Labels should not be removed from containers until they have been cleaned. Containers must not be treated as household waste. Containers should be cleaned by appropriate methods and then recycled or disposed of by landfill or incineration, as appropriate. Do not incinerate closed containers.

14. TRANSPORT INFORMATION**Land Transport (Australia)**

ADG Code

Proper Shipping Name	Calcium Chloride
Class	No Data Available
Subsidiary Risk(s)	No Data Available
	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available

SAFETY DATA SHEET CALCIUM CHLORIDE REVISION 5, DATE 30 DEC 2022

Comments

NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (Malaysia)

ADR Code

Proper Shipping Name	Calcium Chloride
Class	No Data Available
Subsidiary Risk(s)	No Data Available
	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (New Zealand)

NZS5433

Proper Shipping Name	Calcium Chloride
Class	No Data Available
Subsidiary Risk(s)	No Data Available
	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (United States of America)

US DOT

Proper Shipping Name	Calcium Chloride
Class	No Data Available
Subsidiary Risk(s)	No Data Available
	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for LAND transport.

Sea Transport

IMDG Code

Proper Shipping Name	Calcium Chloride
Class	No Data Available
Subsidiary Risk(s)	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
EMS	No Data Available

Marine Pollutant	No
Comments	NON-DANGEROUS GOODS: Not regulated for SEA transport.

Air Transport

IATA DGR

Proper Shipping Name	Calcium Chloride
Class	No Data Available
Subsidiary Risk(s)	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for AIR transport.

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification	NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)
---------------------------------------	---

15. REGULATORY INFORMATION

General Information	No Data Available
Poisons Schedule (Aust)	Not Scheduled

Environmental Protection Authority (New Zealand)

Hazardous Substances and New Organisms Amendment Act 2015

Approval Code	HSR002503 - Additives, Process Chemicals and Raw Materials (Subsidiary Hazard) Group Standard 2020
----------------------	--

National/Regional Inventories

Australia (AIC)	Listed
Canada (DSL)	Listed
Canada (NDSL)	Not Listed
China (IECSC)	Listed
Europe (EINECS)	233-140-8
Europe (REACH)	Not Determined
Japan (ENCS/METI)	Listed
Korea (KECI)	Listed
Malaysia (List of Classified Substances)	Listed

SAFETY DATA SHEET CALCIUM CHLORIDE REVISION 5, DATE 30 DEC 2022

New Zealand (NZIoC)	Listed
Philippines (PICCS)	Listed
Taiwan (TCSI)	Listed
USA (TSCA)	Listed
Mexico (INSQ)	Listed

16. OTHER INFORMATION

Related Product Codes	CACHLF2000, CACHLF9400, CACHLO0400, CACHLO0700, CACHLO0800, CACHLO0900, CACHLO1000, CACHLO1001, CACHLO1002, CACHLO1003, CACHLO1004, CACHLO1005, CACHLO1006, CACHLO1007, CACHLO1008, CACHLO1009, CACHLO1010, CACHLO1011, CACHLO1012, CACHLO1013, CACHLO1014, CACHLO1015, CACHLO1016, CACHLO1017, CACHLO1018, CACHLO1019, CACHLO1020, CACHLO1021, CACHLO1022, CACHLO1023, CACHLO1024, CACHLO1025, CACHLO1026, CACHLO1027, CACHLO1200, CACHLO1790, CACHLO1834, CACHLO1900, CACHLO1990, CACHLO1991, CACHLO1992, CACHLO1993, CACHLO1994, CACHLO2040, CACHLO2100, CACHLO2230, CACHLO2240, CACHLO2380, CACHLO2390, CACHLO2710, CACHLO2810, CACHLO2900, CACHLO2901, CACHLO2902, CACHLO3040, CACHLO3041, CACHLO3045, CACHLO3094, CACHLO3420, CACHLO3430, CACHLO3440, CACHLO4200, CACHLO4201, CACHLO4202, CACHLO4203, CACHLO4204, CACHLO4300, CACHLO4400, CACHLO4450, CACHLO4451, CACHLO4500, CACHLO4501, CACHLO4600, CACHLO4700, CACHLO4710, CACHLO4711, CACHLO4800, CACHLO4801, CACHLO4850, CACHLO4851, CACHLO4852, CACHLO5021, CACHLO5030, CACHLO5031, CACHLO5320, CACHLO5321, CACHLO5800, CACHLO5900, CACHLO6000, CACHLO6001, CACHLO6002, CACHLO6330, CACHLO6340, CACHLO6396, CACHLO6400, CACHLO6410, CACHLO6500, CACHLO6501, CACHLO6600, CACHLO6700, CACHLO6800, CACHLO7710, CACHLO7720, CACHLO7810, CACHLO8400, CACHLO8500, CACHLO8501, CACHLO8510, CACHLO8520, CACHLO8530, CACHLO8700, CACHLO8800, CACHLO8900, CACHLO9500, CACHLO9600, CACHLO9800, CACHLO9900, CACHLO9925, CACHLO9971, CACHLO9990, CACHLO9991, CACHLO9994
Revision	5
Revision Date	30 Dec 2022
Key/Legend	< Less Than > Greater Than AICS Australian Inventory of Chemical Substances atm Atmosphere CAS Chemical Abstracts Service (Registry Number) cm² Square Centimetres CO₂ Carbon Dioxide COD Chemical Oxygen Demand deg C (°C) Degrees Celcius EPA (New Zealand) Environmental Protection Authority of New Zealand deg F (°F) Degrees Fahrenheit g Grams g/cm³ Grams per Cubic Centimetre g/l Grams per Litre HSNO Hazardous Substance and New Organism IDLH Immediately Dangerous to Life and Health immiscible Liquids are insoluable in each other. inHg Inch of Mercury inH₂O Inch of Water K Kelvin kg Kilogram kg/m³ Kilograms per Cubic Metre lb Pound LC₅₀ LC stands for lethal concentration. LC₅₀ is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours. LD₅₀ LD stands for Lethal Dose. LD₅₀ is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals. ltr or L Litre m³ Cubic Metre mbar Millibar

mg Milligram

mg/24H Milligrams per 24 Hours

mg/kg Milligrams per Kilogram

mg/m³ Milligrams per Cubic Metre

Misc or **Miscible** Liquids form one homogeneous liquid phase regardless of the amount of either component present.

mm Millimetre

mmH₂O Millimetres of Water

mPa.s Millipascals per Second

N/A Not Applicable

NIOSH National Institute for Occupational Safety and Health

NOHSC National Occupational Health and Safety Commission

OECD Organisation for Economic Co-operation and Development

Oz Ounce

PEL Permissible Exposure Limit

Pa Pascal

ppb Parts per Billion

ppm Parts per Million

ppm/2h Parts per Million per 2 Hours

ppm/6h Parts per Million per 6 Hours

psi Pounds per Square Inch

R Rankine

RCP Reciprocal Calculation Procedure

STEL Short Term Exposure Limit

TLV Threshold Limit Value

tne Tonne

TWA Time Weighted Average

ug/24H Micrograms per 24 Hours

UN United Nations

wt Weight