

## EXPANDING POLYURETHANE FOAM

### Sika Boom-AP

|                             |                                                                                                                                                                                                                                                                                                                   |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Product</b>              | Sika Boom-AP                                                                                                                                                                                                                                                                                                      |
| <b>Manufacturer</b>         | Sika Australia Pty Ltd                                                                                                                                                                                                                                                                                            |
| <b>Where 6D uses it</b>     | Filling and sealing gaps around penetrations and precast joints.                                                                                                                                                                                                                                                  |
| <b>Signal word</b>          | Danger                                                                                                                                                                                                                                                                                                            |
| <b>Classification</b>       | Aerosols Cat 2; Acute toxicity inhalation Cat 4; Skin corrosion or irritation Cat 2; Serious eye damage or irritation Cat 2A; Respiratory sensitisation Cat 1; Skin sensitisation Cat 1; Carcinogenicity Cat 2; STOT single exposure Cat 3, respiratory tract irritation; STOT repeated exposure inhalation Cat 2 |
| <b>Pictograms</b>           | GHS02, GHS07, GHS08                                                                                                                                                                                                                                                                                               |
| <b>Dangerous goods</b>      | UN 1950, Class 2.1 (UN 1950, flammable aerosol)                                                                                                                                                                                                                                                                   |
| <b>Poisons schedule</b>     | Not stated on the sheet                                                                                                                                                                                                                                                                                           |
| <b>Manufacturer's sheet</b> | 17 June 2025, version 3.0. 13 pages.                                                                                                                                                                                                                                                                              |
| <b>Review due</b>           | 17 June 2030                                                                                                                                                                                                                                                                                                      |

## FIRST AID, FROM SECTION 4 OF THE MANUFACTURER'S SHEET

Inhalation: Move to fresh air.

Emergency 000. Poisons Information Centre 13 11 26.



### Scan for the current sheet

[6dcivil.com.au/sds/sika-boom-ap](https://6dcivil.com.au/sds/sika-boom-ap)

The website copy is the current one. A printed sheet is uncontrolled and may have been superseded since it was printed.

*This cover is 6D Civil's summary of the manufacturer's safety data sheet, which follows this page and governs. Register 6DC-OHS-RG-0004 Rev A. Section 330(3) of the Work Health and Safety Regulation 2011 (Qld) requires the manufacturer or importer of a hazardous chemical to review its safety data sheet at least once every five years, and to amend it whenever necessary to keep it correct and current.*

# SAFETY DATA SHEET

## Sika Boom®-AP



Version  
3.0

Revision Date:  
17.06.2025

SDS Number:  
000000612825

Date of last issue: 02.11.2021  
Date of first issue: 10.05.2018

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Sika Boom®-AP

#### Manufacturer or supplier's details

Company : Sika Australia Pty. Ltd.  
55 Elizabeth Street  
Wetherill Park, NSW 2164

Telephone : +61 2 9725 11 45

Emergency telephone number : +61 1800 033 111

Telefax : +61 2 9725 33 30

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Aerosols : Category 2  
Acute toxicity (Inhalation) : Category 4  
Skin corrosion/irritation : Category 2  
Serious eye damage/eye irritation : Category 2A  
Respiratory sensitisation : Category 1  
Skin sensitisation : Category 1  
Carcinogenicity : Category 2  
Specific target organ toxicity - single exposure : Category 3 (Respiratory system)  
Specific target organ toxicity - repeated exposure (Inhalation) : Category 2

#### GHS label elements

Hazard pictograms :



Signal word : Danger

# SAFETY DATA SHEET

## Sika Boom®-AP



Version  
3.0

Revision Date:  
17.06.2025

SDS Number:  
000000612825

Date of last issue: 02.11.2021  
Date of first issue: 10.05.2018

|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|--------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Hazard statements        | :<br>H223 Flammable aerosol.<br>H229 Pressurised container: May burst if heated.<br>H315 Causes skin irritation.<br>H317 May cause an allergic skin reaction.<br>H319 Causes serious eye irritation.<br>H332 Harmful if inhaled.<br>H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.<br>H335 May cause respiratory irritation.<br>H351 Suspected of causing cancer.<br>H373 May cause damage to organs through prolonged or repeated exposure if inhaled.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Precautionary statements | :<br><b>Prevention:</b><br>P201 Obtain special instructions before use.<br>P202 Do not handle until all safety precautions have been read and understood.<br>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.<br>P211 Do not spray on an open flame or other ignition source.<br>P251 Do not pierce or burn, even after use.<br>P260 Do not breathe dust or mist.<br>P264 Wash skin thoroughly after handling.<br>P271 Use only outdoors or in a well-ventilated area.<br>P272 Contaminated work clothing should not be allowed out of the workplace.<br>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.<br>P284 Wear respiratory protection.<br><br><b>Response:</b><br>P302 + P352 IF ON SKIN: Wash with plenty of water.<br>P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.<br>P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.<br>P308 + P313 IF exposed or concerned: Get medical advice/ attention.<br>P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.<br>P337 + P313 If eye irritation persists: Get medical advice/ attention.<br>P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.<br>P362 + P364 Take off contaminated clothing and wash it before reuse.<br><br><b>Storage:</b><br>P403 + P233 Store in a well-ventilated place. Keep container tightly closed. |

# SAFETY DATA SHEET

## Sika Boom®-AP



Version  
3.0

Revision Date:  
17.06.2025

SDS Number:  
000000612825

Date of last issue: 02.11.2021  
Date of first issue: 10.05.2018

P405 Store locked up.  
P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

| Chemical name                                        | CAS-No.    | Concentration (% w/w) |
|------------------------------------------------------|------------|-----------------------|
| Diphenylmethanediisocyanate, isomeres and homologues | 9016-87-9  | >= 20 -< 30           |
| 4,4'-methylenediphenyl diisocyanate                  | 101-68-8   | >= 10 -< 20           |
| tris(2-chloro-1-methylethyl) phosphate               | 13674-84-5 | >= 10 -< 25           |
| Fatty acids, tallow, Me esters, chlorinated          | 68440-29-9 | >= 10 -< 25           |
| dimethyl ether                                       | 115-10-6   | < 10                  |
| isobutane                                            | 75-28-5    | < 10                  |

## SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.  
Consult a physician.  
Show this safety data sheet to the doctor in attendance.

If inhaled : Move to fresh air.

In case of skin contact : Take off contaminated clothing and shoes immediately.  
Wash off with soap and plenty of water.  
If symptoms persist, call a physician.

In case of eye contact : Remove contact lenses.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.

If swallowed : Clean mouth with water and drink afterwards plenty of water.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
Obtain medical attention.

# SAFETY DATA SHEET

## Sika Boom®-AP



Version  
3.0

Revision Date:  
17.06.2025

SDS Number:  
000000612825

Date of last issue: 02.11.2021  
Date of first issue: 10.05.2018

Most important symptoms and effects, both acute and delayed : irritant effects  
sensitising effects  
Asthmatic appearance  
Cough  
Respiratory disorder  
Allergic reactions  
Headache  
See Section 11 for more detailed information on health effects and symptoms.  
Causes skin irritation.  
May cause an allergic skin reaction.  
Causes serious eye irritation.  
Harmful if inhaled.  
May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
May cause respiratory irritation.  
Suspected of causing cancer.  
May cause damage to organs through prolonged or repeated exposure if inhaled.

Notes to physician : Treat symptomatically.

---

### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray jet  
Dry powder  
Foam  
Carbon dioxide (CO<sub>2</sub>)

Unsuitable extinguishing media : High volume water jet

Hazardous combustion products : No hazardous combustion products are known

Specific extinguishing methods : Use water spray to cool unopened containers.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency measures : Use personal protective equipment.  
Deny access to unprotected persons.

# SAFETY DATA SHEET

## Sika Boom®-AP



Version  
3.0

Revision Date:  
17.06.2025

SDS Number:  
000000612825

Date of last issue: 02.11.2021  
Date of first issue: 10.05.2018

agency procedures

Environmental precautions : Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Use explosion-proof equipment.  
Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.  
Do not spray on a naked flame or any incandescent material.  
Take precautionary measures against electrostatic discharges.

Advice on safe handling : Do not breathe vapours or spray mist.  
Avoid exceeding the given occupational exposure limits (see section 8).  
Do not get in eyes, on skin, or on clothing.  
For personal protection see section 8.  
Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.  
Smoking, eating and drinking should be prohibited in the application area.  
Take precautionary measures against static discharge.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Open drum carefully as content may be under pressure.  
Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours).  
Follow standard hygiene measures when handling chemical products

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.  
When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and at the end of workday.

Conditions for safe storage : BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects.  
Store in original container.  
Keep in a well-ventilated place.  
Observe label precautions.  
Store in accordance with local regulations.

# SAFETY DATA SHEET

## Sika Boom®-AP



Version  
3.0

Revision Date:  
17.06.2025

SDS Number:  
000000612825

Date of last issue: 02.11.2021  
Date of first issue: 10.05.2018

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

| Components                                           | CAS-No.                                                                          | Value type<br>(Form of exposure) | Control parameters / Permissible concentration | Basis  |
|------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------|------------------------------------------------|--------|
| Diphenylmethanediisocyanate, isomeres and homologues | 9016-87-9                                                                        | TWA                              | 0.02 mg/m <sup>3</sup> (NCO)                   | AU OEL |
|                                                      | Further information: Sensitiser                                                  |                                  |                                                |        |
|                                                      |                                                                                  | STEL                             | 0.07 mg/m <sup>3</sup> (NCO)                   | AU OEL |
|                                                      |                                                                                  | TWA                              | 0.02 mg/m <sup>3</sup> (NCO)                   | AU OEL |
|                                                      | Further information: Category 2 (Carc. 2) Suspected human carcinogen, Sensitiser |                                  |                                                |        |
|                                                      |                                                                                  | STEL                             | 0.07 mg/m <sup>3</sup> (NCO)                   | AU OEL |
| 4,4'-methylenediphenyl diisocyanate                  | 101-68-8                                                                         | TWA                              | 0.02 mg/m <sup>3</sup> (NCO)                   | AU OEL |
|                                                      | Further information: Category 2 (Carc. 2) Suspected human carcinogen, Sensitiser |                                  |                                                |        |
|                                                      |                                                                                  | STEL                             | 0.07 mg/m <sup>3</sup> (NCO)                   | AU OEL |
| dimethyl ether                                       | 115-10-6                                                                         | STEL                             | 500 ppm<br>950 mg/m <sup>3</sup>               | AU OEL |
|                                                      |                                                                                  | TWA                              | 400 ppm<br>760 mg/m <sup>3</sup>               | AU OEL |
| isobutane                                            | 75-28-5                                                                          | STEL                             | 1,000 ppm                                      | ACGIH  |

**Appropriate engineering controls** : Use adequate ventilation and/or engineering controls to prevent exposure to vapours.

#### Personal protective equipment

**Respiratory protection** : In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

**Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.  
Follow AS/NZS 1337.1

**Eye protection** : Safety glasses

**Skin and body protection** : Protective clothing (e.g. safety shoes, long-sleeved working clothing, long trousers)

# SAFETY DATA SHEET

## Sika Boom®-AP



Version  
3.0

Revision Date:  
17.06.2025

SDS Number:  
000000612825

Date of last issue: 02.11.2021  
Date of first issue: 10.05.2018

Follow AS 2210:3  
Protective clothing needs to be made of cotton.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

|                                                  |                                           |
|--------------------------------------------------|-------------------------------------------|
| Appearance                                       | : liquid                                  |
| Colour                                           | : brown                                   |
| Odour                                            | : characteristic                          |
| Odour Threshold                                  | : No data available                       |
| pH                                               | : Not applicable                          |
| Melting point/ range / Freezing point            | : No data available                       |
| Boiling point/boiling range                      | : No data available                       |
| Flash point                                      | : -41 °C (-42 °F)<br>(Method: closed cup) |
| Evaporation rate                                 | : No data available                       |
| Flammability (solid, gas)                        | : No data available                       |
| Upper explosion limit / Upper flammability limit | : No data available                       |
| Lower explosion limit / Lower flammability limit | : No data available                       |
| Vapour pressure                                  | : 0.01 hPa                                |
| Relative vapour density                          | : No data available                       |
| Density                                          | : 1.126 g/cm <sup>3</sup> (20 °C (68 °F)) |
| Solubility(ies)                                  |                                           |
| Water solubility                                 | : No data available                       |
| Solubility in other solvents                     | : No data available                       |
| Partition coefficient: n-                        | : No data available                       |

# SAFETY DATA SHEET

## Sika Boom®-AP



Version  
3.0

Revision Date:  
17.06.2025

SDS Number:  
000000612825

Date of last issue: 02.11.2021  
Date of first issue: 10.05.2018

octanol/water

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : ca. 1,000 mPa.s (20 °C (68 °F))

Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control)  
Volatile organic compounds (VOC) content: 13.7% w/w

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : The product is chemically stable.

Possibility of hazardous reactions : Stable under recommended storage conditions.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : see section 7.

Hazardous decomposition products : No hazardous decomposition products are known.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Harmful if inhaled.

#### Components:

#### Diphenylmethanediisocyanate, isomeres and homologues:

Acute oral toxicity : LD50 Oral (Rat): > 10,000 mg/kg

# SAFETY DATA SHEET

## Sika Boom®-AP



Version  
3.0

Revision Date:  
17.06.2025

SDS Number:  
000000612825

Date of last issue: 02.11.2021  
Date of first issue: 10.05.2018

Acute inhalation toxicity : LC50: 1.5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Expert judgement  
Assessment: The component/mixture is moderately toxic after short term inhalation.

Acute dermal toxicity : LD50 Dermal (Rabbit): > 9,400 mg/kg

### **4,4'-methylenediphenyl diisocyanate:**

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50: 1.5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Expert judgement

### **Skin corrosion/irritation**

Causes skin irritation.

### **Serious eye damage/eye irritation**

Causes serious eye irritation.

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

May cause an allergic skin reaction.

#### **Respiratory sensitisation**

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

### **Chronic toxicity**

#### **Germ cell mutagenicity**

Not classified due to lack of data.

#### **Carcinogenicity**

Suspected of causing cancer.

#### **Reproductive toxicity**

Not classified due to lack of data.

#### **STOT - single exposure**

May cause respiratory irritation.

#### **STOT - repeated exposure**

May cause damage to organs through prolonged or repeated exposure if inhaled.

#### **Aspiration toxicity**

Not classified due to lack of data.

# SAFETY DATA SHEET

## Sika Boom®-AP



Version  
3.0

Revision Date:  
17.06.2025

SDS Number:  
000000612825

Date of last issue: 02.11.2021  
Date of first issue: 10.05.2018

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Components:

##### **Diphenylmethanediisocyanate, isomeres and homologues:**

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 1,000 mg/l  
Exposure time: 96 h

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 1,640 mg/l  
Exposure time: 72 h

#### **Persistence and degradability**

No data available

#### **Bioaccumulative potential**

No data available

#### **Mobility in soil**

No data available

#### **Other adverse effects**

##### Product:

Additional ecological information : There is no data available for this product.

#### **Global warming potential**

**Assessment Report of the Intergovernmental Panel on Climate Change (IPCC) of the United Nations Framework Convention on Climate Change (UNFCCC)**

##### Components:

##### **propane:**

20-year global warming potential: 0.072  
100-year global warming potential: 0.02  
500-year global warming potential: 0.006  
Atmospheric lifetime: 0.036 yr  
Radiative efficiency: 0 Wm<sup>2</sup>ppb  
Further information: Miscellaneous compounds

### SECTION 13. DISPOSAL CONSIDERATIONS

#### **Disposal methods**

Waste from residues : Send to a licensed waste management company.

Do not contaminate ponds, waterways or ditches with chemical or used container.

# SAFETY DATA SHEET

## Sika Boom®-AP



Version  
3.0

Revision Date:  
17.06.2025

SDS Number:  
000000612825

Date of last issue: 02.11.2021  
Date of first issue: 10.05.2018

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.

Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### IATA-DGR

UN/ID No. : UN 1950  
Proper shipping name : Aerosols, flammable  
Class : 2.1  
Packing group : Not assigned by regulation  
Labels : Flammable Gas  
Packing instruction (cargo aircraft) : 203  
Packing instruction (passenger aircraft) : 203

##### IMDG-Code

UN number : UN 1950  
Proper shipping name : AEROSOLS  
  
Class : 2.1  
Packing group : Not assigned by regulation  
Labels : 2.1  
EmS Code : F-D, S-U  
Marine pollutant : no

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### National Regulations

##### ADG

UN number : UN 1950  
Proper shipping name : AEROSOLS  
Class : 2.1  
Packing group : Not assigned by regulation  
Labels : 2.1  
Environmentally hazardous : no

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

# SAFETY DATA SHEET

## Sika Boom®-AP



Version  
3.0

Revision Date:  
17.06.2025

SDS Number:  
000000612825

Date of last issue: 02.11.2021  
Date of first issue: 10.05.2018

### SECTION 15. REGULATORY INFORMATION

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Therapeutic Goods (Poisons Standard) Instrument : No poison schedule number allocated (Please use the original publication to check for specific uses, specific conditions or threshold limits that might apply for this chemical)

International Chemical Weapons Convention (CWC) : Not applicable

Schedules of Toxic Chemicals and Precursors

Prohibition/Licensing Requirements : There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

#### The components of this product are reported in the following inventories:

AICS : On the inventory, or in compliance with the inventory

### SECTION 16. OTHER INFORMATION

Revision Date : 17.06.2025

Date of last issue : 02.11.2021

Date format : dd.mm.yyyy

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

AU OEL : Australia. Workplace Exposure Standards for Airborne Contaminants.

ACGIH / STEL : Short-term exposure limit

AU OEL / TWA : Exposure standard - time weighted average

AU OEL / STEL : Exposure standard - short term exposure limit

ADG : Australian Dangerous Goods Code.

ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road

CAS : Chemical Abstracts Service

DNEL : Derived no-effect level

EC50 : Half maximal effective concentration

GHS : Globally Harmonized System

IATA : International Air Transport Association

IMDG : International Maritime Code for Dangerous Goods

LD50 : Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)

LC50 : Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation)

# SAFETY DATA SHEET

## Sika Boom®-AP



Version  
3.0

Revision Date:  
17.06.2025

SDS Number:  
000000612825

Date of last issue: 02.11.2021  
Date of first issue: 10.05.2018

|        |   |                                                                                                                                                                                                                                      |
|--------|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| MARPOL | : | period)<br>International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978                                                                                                             |
| OEL    | : | Occupational Exposure Limit                                                                                                                                                                                                          |
| PBT    | : | Persistent, bioaccumulative and toxic                                                                                                                                                                                                |
| PNEC   | : | Predicted no effect concentration                                                                                                                                                                                                    |
| REACH  | : | Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency |
| SVHC   | : | Substances of Very High Concern                                                                                                                                                                                                      |
| vPvB   | : | Very persistent and very bioaccumulative                                                                                                                                                                                             |

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: [aus.sika.com](http://aus.sika.com)

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

AU / EN